

38 SPL 148GR LWC

38B

Magtech’s Lead Wad Cutter ammunition is a traditional choice for precision shooting with a revolver. Wad Cutters provide shooters with enhanced accuracy and precise paper-cutting performance.



PRODUCT SPECIFICATION

|                                        |
|----------------------------------------|
| Symbol: 38B                            |
| Bullet Type: LWC                       |
| Bullet Weight (GR): 148                |
| Case: Brass                            |
| Primer: Small Pistol Primer 1 1/2      |
| Ballistic Coefficient: 0.055           |
| Packaging (inner box): 50              |
| Packaging (outer box): 1000            |
| EAN Barcode (inner box): 7891798043163 |
| EAN Barcode (outer box): 7891798542994 |
| UPC Barcode (inner box): 754908106011  |
| UPC Barcode (outer box): 754908161300  |

| 38B                          | Velocity | Energy | Trajectory |
|------------------------------|----------|--------|------------|
|                              | fps      | ft.lbs | inch       |
| Muzzle                       | 810      | 216    | —          |
| 50 Yards                     | 717      | 169    | 3.8-       |
| 100 Yards                    | 638      | 134    | 24.5-      |
| Test Barrel Length: 4-V inch |          |        |            |

# 9MM LUGER 115GR FMJ

9A

Full Metal Jacket projectiles are the ideal choice for training, target shooting and general range use. Magtech FMJ ammunition delivers reliable, accurate performance on the range. Available in a wide variety of calibers and bullet weights along with supersonic and subsonic options where applicable.



## PRODUCT SPECIFICATION


|                                        |
|----------------------------------------|
| Symbol: 9A                             |
| Bullet Type: FMJ                       |
| Bullet Weight (GR): 115                |
| Case: BRASS                            |
| Primer: Small Pistol Primer 1 1/2      |
| Ballistic Coefficient: 0.144           |
| Packaging (inner box): 50              |
| Packaging (outer box): 1000            |
| EAN Barcode (inner box): 7891798042845 |
| EAN Barcode (outer box): 7891798542697 |
| UPC Barcode (inner box): 754908114016  |
| UPC Barcode (outer box): 754908162208  |

| 9A                         | Velocity | Energy | Trajectory |
|----------------------------|----------|--------|------------|
|                            | fps      | ft.lbs | inch       |
| Muzzle                     | 1135     | 329    | -----      |
| 50 Yards                   | 1034     | 273    | 1.9-       |
| 100 Yards                  | 963      | 237    | 11.8-      |
| Test Barrel Length: 4 inch |          |        |            |

32 S&W LONG 98GR SJHP

Magtech's Jacketed Hollow Point loads offer shooters a high-performance, controlled expansion option for self-defense or hunting applications.

32SWLC



PRODUCT SPECIFICATION

|                                           |
|-------------------------------------------|
| Symbol: 32SWLC                            |
| Bullet Type: SJHP                         |
| Bullet Weight (GR): 98                    |
| Case: Brass                               |
| Primer: Small Pistol Primer 1 1/2         |
| Ballistic Coefficient: 0.141              |
| Packaging (inner box): 50                 |
| Packaging (outer box): 1000               |
| EAN Barcode (inner box):<br>7891798019663 |
| EAN Barcode (outer box):<br>7891798519699 |
| UPC Barcode (inner box):<br>754908164516  |
| UPC Barcode (outer box):<br>754908164509  |

| 32SWLC                       | Velocity | Energy | Trajectory |
|------------------------------|----------|--------|------------|
|                              | fps      | ft.lbs | inch       |
| Muzzle                       | 778      | 132    | -----      |
| 50 Yards                     | 742      | 120    | 3.8-       |
| 100 Yards                    | 708      | 109    | 23.3-      |
| Test Barrel Length: 4-V inch |          |        |            |

38 SPL+P 125GR SJSP  
FLAT –

38D

Jacketed Soft Point ammunition delivers controlled expansion and excellent accuracy in both self-defense and hunting applications. An excellent choice for use in jurisdictions that restrict the use of Hollow Point ammunition.



PRODUCT SPECIFICATION

|                                           |
|-------------------------------------------|
| Symbol: 38D                               |
| Bullet Type: SJSP Flat                    |
| Bullet Weight (GR): 125                   |
| Case: Brass                               |
| Primer: Small Pistol Primer 1 1/2         |
| Ballistic Coeficient: 0.163               |
| Packaging (inner box): 50                 |
| Packaging (outer box): 1000               |
| EAN Barcode (inner box):<br>7891798043187 |
| EAN Barcode (outer box):<br>7891798543014 |
| UPC Barcode (inner box):<br>754908108015  |
| UPC Barcode (outer box):<br>754908161508  |

| 38D                          | Velocity | Energy | Trajectory |
|------------------------------|----------|--------|------------|
|                              | fps      | ft.lbs | inch       |
| Muzzle                       | 1050     | 306    | -----      |
| 50 Yards                     | 983      | 268    | 2.11-      |
| 100 Yards                    | 930      | 240    | 13.21-     |
| Test Barrel Length: 4-V inch |          |        |            |

# 45 AUTO 230GR FMJ

45A

Full Metal Jacket projectiles are the ideal choice for training, target shooting and general range use. Magtech FMJ ammunition delivers reliable, accurate performance on the range. Available in a wide variety of calibers and bullet weights along with supersonic and subsonic options where applicable.



## PRODUCT SPECIFICATION

|                                        |
|----------------------------------------|
| Symbol: 45A                            |
| Bullet Type: FMJ                       |
| Bullet Weight (GR): 230                |
| Case: Brass                            |
| Primer: Large Pistol Primer 2 1/2      |
| Ballistic Coefficient: 0.194           |
| Packaging (inner box): 50              |
| Packaging (outer box): 1000            |
| EAN Barcode (inner box): 7891798039593 |
| EAN Barcode (outer box): 7891798539512 |
| UPC Barcode (inner box): 754908119011  |
| UPC Barcode (outer box): 754908162802  |

| 45A                        | Velocity | Energy | Trajectory |
|----------------------------|----------|--------|------------|
|                            | fps      | ft.lbs | inch       |
| Muzzle                     | 837      | 358    | -----      |
| 50 Yards                   | 808      | 333    | 3.1-       |
| 100 Yards                  | 781      | 311    | 19.5-      |
| Test Barrel Length: 5 inch |          |        |            |

**.38 SPL LPC 158GR  
POLYMATCH**

38PMA



The Polymatch product line delivers an ammunition range coated with four layers of special polymer that prevents metal-on-metal contact between the bullet and bore, eliminating copper and lead fouling for a superior shooting experience.

**PRODUCT SPECIFICATION**

|                                   |
|-----------------------------------|
| Symbol: 38PMA                     |
| Bullet Type: LFN Polymatch        |
| Bullet Weight (GR): 158           |
| Case: Brass                       |
| Primer: Small Pistol Primer 1 1/2 |
| Ballistic Coefficient: 0.149      |
| Packaging (inner box): 0          |
| Packaging (outer box): 0          |
| EAN Barcode (inner box):          |
| EAN Barcode (outer box):          |
| UPC Barcode (inner box):          |
| UPC Barcode (outer box):          |

| 38PMA                        | Velocity | Energy | Trajectory |
|------------------------------|----------|--------|------------|
|                              | fps      | ft.lbs | inch       |
| Muzzle                       | 755      | 200    | -----      |
| 50 Yards                     | -----    | 183    | 3.8-       |
| 100 Yards                    | 691      | 168    | 24.3-      |
| Test Barrel Length: 4-V inch |          |        |            |

**.380 AUTO LPC 95GR  
POLYMATCH**

380PMA



The Polymatch product line delivers an ammunition range coated with four layers of special polymer that prevents metal-on-metal contact between the bullet and bore, eliminating copper and lead fouling for a superior shooting experience.

**PRODUCT SPECIFICATION**

|                                   |
|-----------------------------------|
| Symbol: 380PMA                    |
| Bullet Type: LFN Polymatch        |
| Bullet Weight (GR): 95            |
| Case: Brass                       |
| Primer: Small Pistol Primer 1 1/2 |
| Ballistic Coeficient: 0.082       |
| Packaging (inner box): 50         |
| Packaging (outer box): 1000       |
| EAN Barcode (inner box):          |
| EAN Barcode (outer box):          |
| UPC Barcode (inner box):          |
| UPC Barcode (outer box):          |

| 380PMA                        | Velocity | Energy | Trajectory |
|-------------------------------|----------|--------|------------|
|                               | fps      | ft.lbs | inch       |
| Muzzle                        | 951      | 190    | -----      |
| 50 Yards                      | 859      | 156    | 2.5-       |
| 100 Yards                     | 786      | 128    | 16.7-      |
| Test Barrel Length: 3,75 inch |          |        |            |

**.40 S&W LPC 180GR  
POLYMATCH**

40PMB



The Polymatch product line delivers an ammunition range coated with four layers of special polymer that prevents metal-on-metal contact between the bullet and bore, eliminating copper and lead fouling for a superior shooting experience.

**PRODUCT SPECIFICATION**

|                                   |
|-----------------------------------|
| Symbol: 40PMB                     |
| Bullet Type: LFN Polymatch        |
| Bullet Weight (GR): 180           |
| Case: Brass                       |
| Primer: Small Pistol Primer 1 1/2 |
| Ballistic Coefficient: 0.2        |
| Packaging (inner box): 50         |
| Packaging (outer box): 1000       |
| EAN Barcode (inner box):          |
| EAN Barcode (outer box):          |
| UPC Barcode (inner box):          |
| UPC Barcode (outer box):          |

| 40PMB                      | Velocity | Energy | Trajectory |
|----------------------------|----------|--------|------------|
|                            | fps      | ft.lbs | inch       |
| Muzzle                     | 990      | 392    | -----      |
| 50 Yards                   | 944      | 356    | 2.2-       |
| 100 Yards                  | 904      | 327    | 14.2-      |
| Test Barrel Length: 4 inch |          |        |            |

**.40 S&W LPC 165GR  
POLYMATCH**

40PMG



The Polymatch product line delivers an ammunition range coated with four layers of special polymer that prevents metal-on-metal contact between the bullet and bore, eliminating copper and lead fouling for a superior shooting experience.

**PRODUCT SPECIFICATION**

|                                   |
|-----------------------------------|
| Symbol: 40PMG                     |
| Bullet Type: LFN Polymatch        |
| Bullet Weight (GR): 165           |
| Case: Brass                       |
| Primer: Small Pistol Primer 1 1/2 |
| Ballistic Coefficient: 0.201      |
| Packaging (inner box): 50         |
| Packaging (outer box): 1000       |
| EAN Barcode (inner box):          |
| EAN Barcode (outer box):          |
| UPC Barcode (inner box):          |
| UPC Barcode (outer box):          |

| 40PMG                      | Velocity | Energy | Trajectory |
|----------------------------|----------|--------|------------|
|                            | fps      | ft.lbs | inch       |
| Muzzle                     | 1043     | 399    | -----      |
| 50 Yards                   | 988      | 358    | 1.9-       |
| 100 Yards                  | 943      | 326    | 12.8-      |
| Test Barrel Length: 4 inch |          |        |            |

# 9MM LPC 124GR POLYMATCH

9PMB



The Polymatch product line delivers an ammunition range coated with four layers of special polymer that prevents metal-on-metal contact between the bullet and bore, eliminating copper and lead fouling for a superior shooting experience.

## PRODUCT SPECIFICATION

|                                   |
|-----------------------------------|
| Symbol: 9PMB                      |
| Bullet Type: LFN Polymatch        |
| Bullet Weight (GR): 124           |
| Case: Brass                       |
| Primer: Small Pistol Primer 1 1/2 |
| Ballistic Coeficient: 0.16        |
| Packaging (inner box): 50         |
| Packaging (outer box): 1000       |
| EAN Barcode (inner box):          |
| EAN Barcode (outer box):          |
| UPC Barcode (inner box):          |
| UPC Barcode (outer box):          |

| 9PMB                       | Velocity | Energy | Trajectory |
|----------------------------|----------|--------|------------|
|                            | fps      | ft.lbs | inch       |
| Muzzle                     | 1109     | 339    | -----      |
| 50 Yards                   | 1024     | 289    | 1.9-       |
| 100 Yards                  | 961      | 254    | 12.1-      |
| Test Barrel Length: 4 inch |          |        |            |