



MAGTECH

Sellier & Bellot 
SINCE 1825



2019

PRODUCT CATALOG

TESTED. TRIED. PROVEN. (IT'S HOW WE'RE BUILT)

You can't fake it, you can't bottle it. It's real, it's fluid. Work your 60 hours during the week but still up early on Saturday to get some trigger time. We raise a water bottle to you at the range and a beer when the day is done.



CONTENTS

Three Brands	04-05
Magtech Range/Training	08-10
Magtech Clean Range	11
Magtech Tactical Rifle	12-13
Magtech Self-Defense/Duty	14-15
Magtech Cowboy Action	16-17
S&B Range/Training	22-23
S&B Nontox	24
S&B Pistol (Expanding)	25
S&B Hunting (Rifle)	26-27
S&B Tactical Rifle	28-29
S&B Shot Shells	30-31
MEN Ammunition	34-35



THREE BRANDS. ONE PURPOSE...

Maybe we oversimplify what we do, but that's it in simple terms. We wake up each day and turn raw materials into exacting pieces of engineering, made to help you achieve your shooting goals.





MAGTECH

Based in Sao Paulo, Brazil, Magtech Ammunition is the CBC Group's original entry into the US market. Known as Magtech in the United States and internationally as CBC, they produce some of the most highly regarded military, law enforcement and civilian ammunition in the world. A leader in the international military ammunition market, Magtech 5.56, 7.62 and 50 BMG are produced in strict compliance with NATO standards for reliable performance in the most demanding environments. These products, along with Magtech pistol ammunition, are recognized as industry standards.



Sellier & Bellot SINCE 1825

Sellier & Bellot is the oldest continually operational ammunition producer in the world, dating back to 1825. Located outside of Prague, Czech Republic, we've been producing high-quality ammunition for military, law enforcement and civilian customers for almost 200 years. The CBC Group purchased S&B in 2009 in an effort to better serve the US market. Significant, consistent investment in the company ensures that S&B remains a leader when it comes to producing high-performance ammunition.



Acquired by the CBC Group in 2006, ammunition from MEN has never been widely available in United States until very recently. Based outside of Nassau, Germany, MEN is one of a very select number of factories able to meet the extremely high performance standards of the German Bundeswehr and German law enforcement agencies. Their manufacturing precision and attention to detail are legendary in Europe. A limited quantity of MEN 9mm, 5.56 and 7.62x51 ammunition is available in the United States.

BLUE BOX MEETS BLUE COLLAR

(DEPENDABLE AMMUNITION FOR
THE HARD-WORKING SHOOTER)

The skilled trades are cool again. For us, they always have been. It's probably because their values align with ours. Learn your craft. Work your tail off. People are depending on you. Or in our case, our ammunition.

MAGTECH





MAGTECH RANGE/TRAINING

It's the cornerstone of our business. More shooters rely on Magtech full metal jacket rounds than any other. Whether you are practicing your El Presidente, honing your trigger press or shooting cans in the back 40, you can think about achieving your goals. We have the ammo covered.

RANGE/TRAINING						
Caliber	Item No.	Bullet		Muzzle Velocity (fps)	Muzzle Energy (ft. lbs.)	Ballistic Coefficient G1
		Bullet Weight	Projectile Type			
10 mm	10A	180	FMJ	1230	605	0.197
	10B	180	JHP	1230	605	0.174
25 AUTO	25A	50	FMJ	760	64	0.093
32 AUTO	32A	71	FMJ	905	129	0.134
	32B	71	JHP	905	129	0.134
	32C	71	LRN	905	129	0.134
32 S&W	32SWA	85	LRN	680	87	0.137
32 S&W L	32SWLA	98	LRN	705	108	0.123
	32SWLB	98	LWC	682	102	0.039
	32SWLC	98	SJHP	778	132	0.141
357 MAG	357A	158	SJSP Flat	1235	535	0.172
	357B	158	SJHP	1235	535	0.172
	357D	158	FMJ Flat	1235	535	0.172
	357Q	125	FMJ Flat	1405	693	0.174
	MP357A	158	SJSP Flat	1610	910	0.172

RANGE/TRAINING						
Caliber	Item No.	Bullet		Muzzle Velocity (fps)	Muzzle Energy (ft. lbs.)	Ballistic Coefficient G1
		Bullet Weight	Projectile Type			
38 S&W	38SWA	146	LRN	686	153	0.146
	38A	158	LRN	755	200	0.149
38 SPL	38B	148	LWC	709	165	0.055
	38C	158	SJSP Flat	755	200	0.149
	38E	158	SJHP	807	229	0.149
	38G	125	LRN	686	131	0.139
	38J	158	LSWC	755	200	0.149
	38P	158	FMJ Flat	755	200	0.172
	38Q	125	FMJ Flat	938	244	0.163
	38T	130	FMJ	800	185	0.181
	MP38A	158	LRN	755	200	0.149
38 SPL +P	38D	125	SJSP Flat	938	244	0.163
	38F	125	SJHP	938	244	0.163
	38H	158	SJHP	886	275	0.172
	38N	158	SJSP Flat	886	275	0.172

RANGE/TRAINING (CONTINUED)

Caliber	Item No.	Bullet		Muzzle Velocity (fps)	Muzzle Energy (ft. lbs.)	Ballistic Coefficient G1
		Bullet Weight	Projectile Type			
38 SUPER +P	38S	130	FMJ	1215	426	0.159
380 AUTO	380A	95	FMJ	951	191	0.082
	380B	95	JHP	951	190	0.082
	380D	95	LRN	951	190	0.082
	MP380A	95	FMJ	951	191	0.082
40 S&W	40A	180	JHP	990	392	0.174
	40B	180	FMJ Flat	990	392	0.200
	40C	160	LSWC	1185	482	0.169
	40G	165	FMJ Flat	1050	404	0.200
	40PS	180	FMJ Flat	1050	441	0.197
	MP40B	180	FMJ Flat	990	392	0.191
44 REM MAG	44A	240	SJSP Flat	1180	742	0.172
	44C	240	FMJ Flat	1180	742	0.175
44 S&W SPL	44F	240	FMJ	722	278	0.175
44-40 WIN	4440A	200	LFN	1180	619	0.173
45 AUTO	45A	230	FMJ	837	358	0.194
	45B	230	FMJ-SWC	780	311	0.184
	MP45A	230	FMJ	837	358	0.196
45 GAP	45GA	230	FMJ	837	358	0.167
454 CASULL	454A	260	SJSP Flat	1798	1867	0.167
	454B	260	FMJ Flat	1798	1867	0.167
500 S&W	500A	400	SJSP Flat	1608	2297	0.186
	500B	325	SJSP Flat	1805	2352	0.155
	500D	325	FMJ Flat	1805	2352	0.155
	500L	325	SJSP-Flat	1380	1375	0.155
9 x 19 mm	9A	115	FMJ	1135	329	0.144
	9B	124	FMJ	1109	339	0.160
	9C	115	JHP	1155	341	0.144
	9D	95	JSP Flat	1345	382	0.137
	9E	124	LRN	1109	339	0.160
	9G	147	FMJ Flat	990	320	0.200
	9K	147	JHP Sub	990	320	0.200
	9S	124	JSP	1109	339	0.160
	MP9A	115	FMJ	1135	329	0.144
	9NATO	124	FMJ	1329	486	0.160
9 x 19 mm +P	9H	115	JHP	1330	452	0.142

SEE & DOWNLOAD COMPLETE BALLISTIC INFORMATION ON-LINE AT
WWW.MAGTECHAMMUNITION.COM





MAGTECH CLEAN RANGE

If your range or department requires non-toxic ammunition, Clean Range is your solution. Bullets are fully encapsulated to deliver clean, reliable function while also reducing exposure to lead. These loads feature non-toxic primers that meet the environmental regulations of most indoor ranges.

CLEAN RANGE

Caliber	Item No.	Bullet		Muzzle Velocity (fps)	Muzzle Energy (ft. lbs.)	Ballistic Coefficient G1
		Bullet Weight	Projectile Type			
38 SPL	CR38A	158	FEB Flat	755	200	0.149
380 AUTO	CR380A	95	FEB	951	190	0.082
40 S&W	CR40A	180	FEB Flat	990	392	0.200
45 AUTO	CR45A	230	FEB	837	358	0.196
9x19 mm	CR9A	115	FEB	1135	329	0.144
	CR9B	124	FEB	1109	339	0.160

SEE & DOWNLOAD COMPLETE BALLISTIC INFORMATION ON-LINE AT
WWW.MAGTECHAMMUNITION.COM



MAGTECH TACTICAL RIFLE

There are few things more honorable than a competent rifleman. In today's America, the tool of choice is the AR-15. Magtech offers 5.56 and 300 Blackout ammunition in several different loads to match what your rifle shoots best. If a battle rifle is more your speed, our 7.62 will reliably feed your big gun and make the hits downrange.

TACTICAL RIFLE						
Caliber	Item No.	Bullet		Muzzle Velocity (fps)	Muzzle Energy (ft. lbs.)	Ballistic Coefficient G1
		Bullet Weight	Projectile Type			
30 CARBINE	30A	110	FMJ	2000	977	0.178
	30B	110	PSP	2000	977	0.178
300 BLACKOUT	300BLKA	115	OTM	2280	1328	0.325
	300BLKB	123	FMJ	2230	1359	0.330
	300BLKSUBA	200	FMJ Sub	1050	490	0.560
308 WIN	308A	150	FMJ	2815	2640	0.398
	308D	168	HPBT	2635	2591	0.462
12.7 x 99mm [.50]	50BMGA	656	FMJ	2953	12657	0.663
5.56 x 45 mm	556A	55	FMJ	3265	1302	0.272
	556A-LK	55	FMJ	3265	1302	0.272
	556B	62	FMJ	3085	1311	0.340
	556B-LK	62	FMJ	3085	1311	0.340
	556C	77	HPBT	2790	1331	0.362
7.62 x 51 mm	762A	147	FMJ	2740	2451	0.398
	762A-LK	147	FMJ	2740	2451	0.398

SEE & DOWNLOAD COMPLETE BALLISTIC INFORMATION ON-LINE AT
WWW.MAGTECHAMMUNITION.COM



MAGTECH SELF-DEFENSE/DUTY

When stopping the threat is your primary concern, trust Magtech self-defense ammunition. It's counted on by elite law enforcement teams across the globe including the Battalion of Special Operations in Brazil (BOPE), arguably the most active unit of its kind in the world.




SELF-DEFENSE/DUTY						
Caliber	Item No.	Bullet		Muzzle Velocity (fps)	Muzzle Energy (ft. lbs.)	Ballistic Coefficient G1
		Bullet Weight	Projectile Type			
32 AUTO	GG32A	65	JHP	928	124	0.134
357 MAG	GG357A	125	JHP	1378	527	0.173
38 SPL +P	GG38A	125	JHP	1017	287	0.174
40 S&W	40B0NA	155	JHP Bonded	1198	494	0.165
	40B0NB	180	JHP Bonded	990	392	0.174
	GG40A	155	JHP	1205	500	0.166
	GG40B	180	JHP	990	392	0.171
45 AUTO +P	GG45A	185	JHP	1148	542	0.147
9 x 19 mm	9B0NA	124	JHP Bonded	1165	374	0.152
	9B0NC	147	JHP Bonded	990	320	0.200
	GG9A	115	JHP	1247	397	0.144
	GG9B	124	JHP	1096	331	0.152

SEE & DOWNLOAD COMPLETE BALLISTIC INFORMATION ON-LINE AT
WWW.MAGTECHAMMUNITION.COM







MAGTECH COWBOY ACTION

Have a soft spot for revolvers and lever guns? So do we. That's why we offer an assortment of easy-shooting, lead round nose loads in traditional cowboy calibers. Step back in time and channel your inner Doc Holliday or Annie Oakley with Magtech Cowboy Action.

COWBOY ACTION						
Caliber	Item No.	Bullet		Muzzle Velocity (fps)	Muzzle Energy (ft. lbs.)	Ballistic Coefficient G1
		Bullet Weight	Projectile Type			
357 MAG	357L	158	LFN	1085	413	0.172
	38L	158	LFN	800	225	0.172
38 SPL	38U	125	LFN	920	235	0.172
	44B	240	LFN	760	308	0.177
44 S&W SPL	4440B	225	LFN	755	285	0.175
	4440C	200	LFN	722	232	0.173
44-40 WIN	45D	250	LFN	760	321	0.200
	45F	200	LFN	705	221	0.170

SEE & DOWNLOAD COMPLETE BALLISTIC INFORMATION ON-LINE AT
WWW.MAGTECHAMMUNITION.COM

MAGTECH





TRADITION

(GENERATION TO GENERATION, IT'S WHAT WE BELIEVE)

Almost 200 years, that's how long we've been making ammunition. It's in our blood, our DNA. You get pretty good at something when you've been this dedicated. Quality ammunition since 1825 – it's what we do.

Sellier & Bellot 
— S I N C E 1 8 2 5 —





SELLIER & BELLOT RANGE/TRAINING

You fall back on your training when you must perform on demand. Our training ammunition is made to the same high standards as our self-defense and hunting ammo. Train for real life. You'll be ready when the shot has to be made.

HANDGUN						
Caliber	Item No.	Bullet		Muzzle Velocity [fps]	Muzzle Energy [ft. lbs.]	Ballistic Coefficient G1
		Bullet Weight	Projectile Type			
10 mm AUTO	SB10A	180	FMJ	1,165	544	0.155
25 AUTO	SB25A	50	FMJ	748	63	0.082
32 AUTO	SB32A	73	FMJ	1,043	177	0.135
32 S&W LONG	SB32SWLA	100	LRN	886	175	0.135
	SB32SWLB	100	WC	735	120	0.040
357 MAGNUM	SB357A	158	FMJ	1,263	560	0.163
	SB357L	158	LFN	1,125	445	0.171
357 SIG	SB357SIG	140	FMJ	1,352	563	0.112
380 AUTO	SB380A	92	FMJ	955	187	0.093
38 SPL	SB38A	158	LRN	997	349	0.205
	SB38B	148	WC	699	161	0.130
	SB38L	158	LFN	938	309	0.203
	SB38P	158	FMJ	889	278	0.048
40 S&W	SB40B	180	FMJ	968	375	0.157
	SB40G	165	FMJ	1,027	387	0.104
45 AUTO	SB45A	230	FMJ	853	371	0.093
45 COLT	SB45D	250	LFN	709	279	0.177
45 GAP	SB45GAP	230	FMJ	807	333	0.181
9 × 19 mm	SB9A	115	FMJ	1,280	421	0.106
	SB9B	124	FMJ	1,181	382	0.089
	SB9SUBA	140	FMJ	1,001	309	0.184
	SB9SUBB	150	FMJ	1,001	333	0.241
9 mm MAKAROV	SB9MAK	95	FMJ	1,017	216	0.122

RIFLE						
Caliber	Item No.	Bullet		Muzzle Velocity [fps]	Muzzle Energy [ft. lbs.]	Ballistic Coefficient G1
		Bullet Weight	Projectile Type			
22 HORNET	SB22HA	45	FMJ	2,346	547	0.140
30 CARBINE	SB30A	110	FMJ	2,024	997	0.150
30-06 SPRINGFIELD	SB3006A	180	FMJ	2,674	2,866	0.440
	SB3006M2	150	FMJ	2,700	2,423	0.389
303 BRITISH	SB303A	180	FMJ	2,477	2,460	0.470
308 WIN	SB308B	180	FMJ	2,411	2,331	0.470
5.6 × 52 R	SB5652RB	70	FMJ	2,861	1,290	0.260
6.5 × 55 SE	SB6555C	140	FMJ	2,582	2,079	0.510
6.8 mm REM SPC	SB68C	110	FMJ	2,556	1,589	0.350
7 × 57	SB757A	140	FMJ	2,621	2,142	0.440
7.62 × 25 TOK	SB762TOK	85	FMJ	1,857	650	0.119
7.62 × 54 R	SB76254RA	180	FMJ	2,579	2,666	0.500
8 × 57 JS	SB857JSA	196	FMJ	2,559	2,849	0.490


SEE & DOWNLOAD COMPLETE BALLISTIC INFORMATION ON-LINE AT
WWW.SELLIERBELLOT.US

SELLIER & BELLOT NONTOX

S&B's Nontox cartridge, with a patented primer design and fully encapsulated projectile, eliminates the shooter's exposure to heavy metals. Ensure safe shooting on indoor target ranges.

NONTOX						
Caliber	Item No.	Bullet		Muzzle Velocity (fps)	Muzzle Energy (ft. lbs.)	Ballistic Coefficient G1
		Bullet Weight	Projectile Type			
38 SPL	SB38NT	158	TFMJ	873	267	0.052
40 S&W	SB40NT	180	TFMJ	968	375	0.157
9 x 19 mm	SB9NTA	115	TFMJ	1,280	421	0.106
	SB9NTB	124	TFMJ	1,181	382	0.090

SEE & DOWNLOAD COMPLETE BALLISTIC INFORMATION ON-LINE AT
WWW.SELLIERBELLOT.US





SELLIER & BELLOT PISTOL(EXPANDING)

Hard hitting, accurate and devastating – that's what you can expect from S&B's hollow point and soft point pistol ammunition.

PISTOL (EXPANDING)

Caliber	Item No.	Bullet		Muzzle Velocity (fps)	Muzzle Energy (ft. lbs.)	Ballistic Coefficient G1
		Bullet Weight	Projectile Type			
10 mm AUTO	SB10B	180	JHP	1,165	544	0.178
357 MAGNUM	SB357B	158	SP	1,263	560	0.162
	SB357C	158	SJHP	1,329	620	0.203
357 SIG	SB357SIGB	124	JHP	1,476	597	0.105
38 SPL	SB38C	158	SP	889	278	0.048
40 S&W	SB40C	180	JHP	974	381	0.190
44 REM MAG	SB44A	240	SP	1,280	872	0.205
	SB44C	240	SJHP	1,280	872	0.205
45 AUTO	SB45C	230	JHP	889	404	0.106
45 COLT	SB45F	230	JHP	830	352	0.155
460 S&W MAG	SB460B	255	JHP	1,759	1,748	0.184
	SB460C	260	HS	2,008	2,320	0.197
9 x 19 mm	SB9C	115	JHP	1,237	393	0.094
	SB9D	124	JHP	1,201	395	0.089
	SB9S	124	SP	1,165	372	0.089

SEE & DOWNLOAD COMPLETE BALLISTIC INFORMATION ON-LINE AT
WWW.SELLIERBELLOT.US



SELLIER & BELLOT HUNTING

Harvesting meat to feed your family or putting a trophy on the wall, the hunting tradition runs deep at S&B. We have you covered with an extensive lineup of American and European chamberings.

HUNTING RIFLE						
Caliber	Item No.	Bullet		Muzzle Velocity (fps)	Muzzle Energy (ft. lbs.)	Ballistic Coefficient G1
		Bullet Weight	Projectile Type			
22 HORNET	SB222HB	45	SP	2,346	547	0.130
22-250 REM	SB22250A	55	SBT	3,681	1,671	0.230
	SB22250B	55	SP	3,091	1,178	0.220
222 REM	SB222A	50	SP	3,182	1,124	0.180
223 REM	SB223B	55	SP	3,301	1,344	0.260
243 WIN	SB243A	100	SP	2,854	1,814	0.290
270 WIN	SB270A	150	SP	2,641	2,318	0.240
	SB270B	130	SP	2,933	2,476	0.170
30 CARBINE	SB30B	110	SP	2,024	997	0.170
30-06 SPRINGFIELD	SB3006B	180	SP	2,707	2,937	0.230
	SB3006C	150	SPCE	2,953	2,898	0.290
	SB3006E	180	SPCE	2,641	2,796	0.340
30-30 WIN	SB3030A	150	SP	2,388	1,896	0.230
300 WIN MAG	SB300B	180	SPCE	2,936	3,456	0.340
303 BRITISH	SB303B	150	SP	2,654	2,341	0.280
	SB303C	180	SP	2,382	2,274	0.280
308 WIN	SB308C	180	SP	2,454	2,414	0.260
	SB308D	150	SPCE	2,789	2,585	0.280
	SB308F	180	SPCE	2,510	2,525	0.320
5.6 × 52 R	SB5652RA	70	SP	2,861	1,290	0.260
6.5 × 52 R	SB6552RA	117	SP	2,133	1,184	0.220
6.5 × 55 SE	SB6555A	131	SP	2,602	1,971	0.380
	SB6555B	140	SP	2,602	2,110	0.390
6.5 × 57	SB6557A	131	SP	2,543	1,883	0.350

HUNTING RIFLE						
Caliber	Item No.	Bullet		Muzzle Velocity (fps)	Muzzle Energy (ft. lbs.)	Ballistic Coefficient G1
		Bullet Weight	Projectile Type			
6.5 × 57 R	SB6557RA	131	SP	2,543	1,883	0.350
6.5 CREEDMOOR	SB65B	131	SP	2,740	2,186	0.366
	SB65C	140	SP	2,657	2,202	0.391
7 × 57	SB757B	140	SP	2,651	2,191	0.210
	SB757C	173	SPCE	2,379	2,171	0.360
7 × 57 R	SB757RA	173	SPCE	2,379	2,171	0.360
7 × 64	SB764A	140	SP	2,808	2,459	0.220
	SB764B	173	SPCE	2,526	2,449	0.370
7 × 65 R	SB765RA	173	SPCE	2,608	2,610	0.380
7 mm REM MAG	SB7A	173	SPCE	2,782	2,970	0.380
	SB7B	140	SP	3,143	3,080	0.240
7.62 × 39	SB76239B	124	SP	2,438	1,629	0.300
7.62 × 54 R	SB76254RB	180	SP	2,625	2,761	0.290
8 × 57 JR	SB857JRA	196	SP	2,329	2,361	0.220
8 × 57 JRS	SB857JRSA	196	SPCE	2,382	2,469	0.340
	SB857JRSE	196	HPC	2,487	2,691	0.530
8 × 57 JS	SB857JSB	196	SPCE	2,592	2,923	0.270
9.3 × 62	SB9362A	285	SP	2,280	3,295	0.310
9.3 × 72 R	SB9372RA	193	SP	2,005	1,721	0.200
9.3 × 74 R	SB9374RA	285	SP	2,313	3,391	0.310

SEE & DOWNLOAD COMPLETE BALLISTIC INFORMATION ON-LINE AT
WWW.SELLIERBELLOT.US

SELLIER & BELLOT TACTICAL RIFLE

S&B has been manufacturing military ammunition since we made our first percussion cap in 1825. We adhere to the tightest of tolerances for all of our tactical rifle ammunition. It's torture-tested to perform in the toughest environments across the globe.

TACTICAL RIFLE						
Caliber	Item No.	Bullet		Muzzle Velocity (fps)	Muzzle Energy (ft. lbs.)	Ballistic Coefficient G1
		Bullet Weight	Projectile Type			
300 BLACKOUT	SB300BLKA	124	FMJ	2,165	1,285	0.290
	SB300BLKB	147	FMJ	2,077	1,411	0.390
	SB300BLKSUBA	200	FMJ	1,060	500	0.330
30-06 SPRINGFIELD	SB3006D	168	HPBT	2,785	2,897	0.460
308 WIN	SB308A	147	FMJ	2,789	2,545	0.360
	SB308E	168	OTM	2,628	2,579	0.460
338 LAP MAG	SB338LMA	250	HPBT	2,848	4,501	0.536
	SB338LMB	300	HPBT	2,713	4,893	0.684
6.5 CREEDMOR	SB65A	140	FMJBT	2,657	2,202	0.548
6.8 mm REM SPC	SB68D	115	HPBT	2,477	1,577	0.320
7.62 × 39	SB76239A	124	FMJ	2,421	1,607	0.260
7.62 × 54 R	SB76254RC	174	HPBT	2,585	2,588	0.500

SEE & DOWNLOAD COMPLETE BALLISTIC INFORMATION ON-LINE AT
WWW.SELLIERBELLOT.US







SELLIER & BELLOT SHOT SHELLS

There is nothing quite like a shotgun. Our buckshot and slugs are ideal for self-defense and law enforcement. We also offer breaching and rubber ball loads for specialized applications.

SHOT SHELLS					
Type	Item No.	Gauge	Shot Diameter	Velocity [fps]	Load
BUCK SHOT	SB12BSA	12ga 3"	No.00	1214	15 pellets
	SB12BSB	12ga 2 3/4"	No.4	1181	27 pellets
	SB12BSC	12ga 2 3/4"	No.00	1181	12 pellets
	SB12BSD	12ga 2 3/4"	No.4	1181	27 pellets
	SB12BSE	12ga 2 3/4"	No.00	1181	12 pellets
	SB12BSF	12ga 2 3/4"	No.1	1214	12 pellets
	SB12BSG	12ga 2 3/4"	No.00	1214	9 pellets
	SB12BSH	12ga 2 3/4"	No.4	1214	27 pellets
	SB12BSI	12ga 2 3/4"	No.1	1214	12 pellets
	SB12BSJ	12ga 2 3/4"	No.00	1214	9 pellets
	SB20BSA	20ga 2 21/32"	No.2	1181	12 pellets
SLUG	SB12SLUG	12ga 2 3/4"	0.69"	1345	1
RUBBER PELLETS	SB12RBA	12ga 2 21/32"	17.5 mm	886	1 ball
	SB12RBB	12ga 2 21/32"	15 mm	919	2 balls
	SB12RSA	12ga 2 21/32"	7.5 mm	1476	15 pellets
BREACHING	SB12BR	12ga 2 3/4"	Polymer	1575	1/2 oz
SPHERICAL BULLET	SB410A	.410 2 1/2"	No.000	1247	3 pellets
	SB410B	.410 3"	No.00	1181	5 pellets
SELF DEFENSE	SB410SDA	.410 2 1/2"	BB/No.000	984	15/1 pellets
	SB410SDB	.410 3"	BB/No.000	984	15/2 pellets

SEE & DOWNLOAD COMPLETE BALLISTIC INFORMATION ON-LINE AT
WWW.SELLIERBELLOT.US

Sellier & Bellot 
— SINCE 1825 —





MEN NATO AMMUNITION

Legendary German precision and attention to detail goes into every round of MEN ammunition. We offer a limited supply of this highly sought-after ammunition in the United States.

NATO AMMUNITION						
Caliber	Item No.	Bullet		Muzzle Velocity (fps)	Muzzle Energy (ft. lbs.)	Ballistic Coefficient G1
		Bullet Weight	Projectile Type			
9 x 19 mm	MEN9B	124	FMJ	1,237	420	0.097
5.56 x 45 mm	MEN556A	55	FMJ	3,067	1,161	0.261
7.62 x 51 mm	MEN762A	147	FMJ	2,740	2,443	0.343

CALL FOR COMPLETE BALLISTIC INFORMATION AND AVAILABILITY
800.466.7191





MAGTECH

Sellier & Bellot 
— SINCE 1825 —



U.S. Corporate Office

9100 Wyoming Ave N #515
Brooklyn Park, MN USA - 55445

Toll Free: 800.466.7191

Phone: 763.235.4000

Fax: 763.235.4004

sales@magtechammunition.com

sales@sellierbellot.us